

PROJECT		TOWER LIFE APARTMENTS										PR ID 7876	Rev 0 NA		
ADDRESS		310 S ST MARY ST, SAN ANTONIO, TX 78205													
Date of submission															
Date of plans															
Comments		Please go through all the notes on this sheet.													
ALL Trades															
SR #	DWG. NO.	DETAIL NO.	CSI NO.	DESCRIPTION	QTY.	WASTE	QTY. W/ WASTE	UNIT	UNIT MATERIAL	UNIT LABOR	UNIT COST	MATERIAL SUB TOTAL	LABOR SUB TOTAL	TOTAL COST	SUB TOTALS
01 00 00 GENERAL CONDITIONS															
1				Final & Daily Cleanup	1	0%	1	LS	\$ -	\$ 6,500.00	\$ 6,500.00	\$ -	\$ 6,500	\$ 6,500	
2				Project Planning, coordination & layout	1	0%	1	LS	\$ -	\$ 850,000.00	\$ 850,000.00	\$ -	\$ 850,000	\$ 850,000	
Sub Total															\$ 856,500
09 00 00 FINISHING															
GYPSUM BOARD ASSEMBLY															
3				6" Metal Stud Exterior Wall : (13'-0" H)	13.00		264	LF			\$ -	\$ -	\$ -		
4				5/8" Gypsum Board One Side	3426	10%	3,768	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 1,714	\$ 3,184	\$ 4,898	
5				5/8" thk. Plywood sheathing	3426	10%	3,768	SF	\$ 0.96	\$ 1.79	\$ 2.8	\$ 3,627	\$ 6,735	\$ 10,362	
6				Sound Attenuation Blanket Insulation	3426	10%	3,768	SF	\$ 0.91	\$ 1.69	\$ 2.6	\$ 3,429	\$ 6,368	\$ 9,797	
7				3-5/8" Metal Studs @16" o.c. (13'-0" High)	2576	10%	2,833	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 4,363	\$ 8,103	\$ 12,466	
8				Top Plate	264	10%	290	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 446	\$ 829	\$ 1,275	
9				Bottom Plate	264	10%	290	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 446	\$ 829	\$ 1,275	
10				Acoustical Sealant	527	10%	580	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 203	\$ 377	\$ 580	
11				POA.02: (10'-0" H)	10.00		17	LF			\$ -	\$ -	\$ -		
12				5/8" Backer Gypsum Board One Side	167	10%	184	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 84	\$ 155	\$ 239	
13				1-5/8" Metal Studs @16" o.c. (10'-0" High)	126	10%	138	LF	\$ 0.84	\$ 1.56	\$ 2.4	\$ 116	\$ 215	\$ 331	
14				Top Plate	17	10%	18	LF	\$ 0.84	\$ 1.56	\$ 2.4	\$ 15	\$ 29	\$ 44	
15				Bottom Plate	17	10%	18	LF	\$ 0.84	\$ 1.56	\$ 2.4	\$ 15	\$ 29	\$ 44	
16				Acoustical Sealant	33	10%	37	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 13	\$ 24	\$ 37	
17				POA.02: (13'-0" H)	13.00		25	LF			\$ -	\$ -	\$ -		
18				5/8" Gypsum Board One Side	325	10%	358	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 163	\$ 302	\$ 465	
19				1-5/8" Metal Studs @16" o.c. (13'-0" High)	244	10%	269	LF	\$ 0.84	\$ 1.56	\$ 2.4	\$ 226	\$ 419	\$ 645	
20				Top Plate	25	10%	28	LF	\$ 0.84	\$ 1.56	\$ 2.4	\$ 23	\$ 43	\$ 66	
21				Bottom Plate	25	10%	28	LF	\$ 0.84	\$ 1.56	\$ 2.4	\$ 23	\$ 43	\$ 66	
22				Acoustical Sealant	50	10%	55	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 19	\$ 36	\$ 55	
23				POA.03: (9'-0" H)	9.00		101	LF			\$ -	\$ -	\$ -		
24				5/8" Gypsum Board One Side	656	10%	721	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 328	\$ 610	\$ 938	
25				5/8" Backer Board One Side	255	10%	280	SF	\$ 0.63	\$ 1.17	\$ 1.8	\$ 177	\$ 328	\$ 504	
26				2-1/2" Metal Studs @16" o.c. (9'-0" High)	687	10%	755	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 925	\$ 1,718	\$ 2,643	
27				Top Plate	101	10%	112	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 137	\$ 254	\$ 391	
28				Bottom Plate	101	10%	112	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 137	\$ 254	\$ 391	
29				Acoustical Sealant	203	10%	223	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 78	\$ 145	\$ 223	
30				POA.03: (10'-0" H)	10.00		321	LF			\$ -	\$ -	\$ -		
31				5/8" Gypsum Board One Side	3205	10%	3,526	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 1,604	\$ 2,979	\$ 4,583	
32				2-1/2" Metal Studs @16" o.c. (10'-0" High)	2410	10%	2,651	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 3,247	\$ 6,031	\$ 9,278	
33				Top Plate	321	10%	353	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 432	\$ 802	\$ 1,234	
34				Bottom Plate	321	10%	353	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 432	\$ 802	\$ 1,234	
35				Acoustical Sealant	641	10%	705	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 247	\$ 458	\$ 705	
36				POA.03: (13'-0" H)	13.00		78	LF			\$ -	\$ -	\$ -		
37				5/8" Gypsum Board One Side	1019	10%	1,120	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 510	\$ 947	\$ 1,457	
38				2-1/2" Metal Studs @16" o.c. (13'-0" High)	766	10%	842	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 1,032	\$ 1,916	\$ 2,948	
39				Top Plate	78	10%	86	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 106	\$ 196	\$ 302	
40				Bottom Plate	78	10%	86	LF	\$ 1.23	\$ 2.28	\$ 3.5	\$ 106	\$ 196	\$ 302	
41				Acoustical Sealant	157	10%	172	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 60	\$ 112	\$ 172	
42				POA.04: (9'-0" H)	9.00		1,279	LF			\$ -	\$ -	\$ -		
43				5/8" Moisture Gypsum Board One Side	4748	10%	5,223	SF	\$ 0.53	\$ 0.98	\$ 1.5	\$ 2,742	\$ 5,092	\$ 7,834	
44				5/8" Backer Gypsum Board One Side	5482	10%	6,030	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 2,744	\$ 5,095	\$ 7,839	
45				3-5/8" Metal Studs @16" o.c. (9'-0" High)	8653	10%	9,518	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 14,657	\$ 27,221	\$ 41,879	
46				Top Plate	1279	10%	1,407	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 2,166	\$ 4,023	\$ 6,189	
47				Bottom Plate	1279	10%	1,407	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 2,166	\$ 4,023	\$ 6,189	
48				Acoustical Sealant	2557	10%	2,813	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 985	\$ 1,828	\$ 2,813	
49				POA.04: (10'-0" H)	10.00		109	LF			\$ -	\$ -	\$ -		
50				5/8" Gypsum Board One Side	1086	10%	1,195	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 544	\$ 1,010	\$ 1,554	
51				3-5/8" Metal Studs @16" o.c. (10'-0" High)	817	10%	899	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 1,384	\$ 2,570	\$ 3,954	
52				Top Plate	109	10%	120	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 184	\$ 342	\$ 526	
53				Bottom Plate	109	10%	120	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 184	\$ 342	\$ 526	
54				Acoustical Sealant	217	10%	239	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 84	\$ 155	\$ 239	
55				POA.04: (13'-0" H)	13.00		32	LF			\$ -	\$ -	\$ -		
56				5/8" Gypsum Board One Side	418	10%	460	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 209	\$ 388	\$ 597	
57				3-5/8" Metal Studs @16" o.c. (13'-0" High)	314	10%	346	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 532	\$ 988	\$ 1,520	
58				Top Plate	32	10%	35	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 54	\$ 101	\$ 156	
59				Bottom Plate	32	10%	35	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 54	\$ 101	\$ 156	
60				Acoustical Sealant	64	10%	71	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 25	\$ 46	\$ 71	
61				POA.04: (14'-0" H)	14.00		16	LF			\$ -	\$ -	\$ -		
62				5/8" Moisture Resistant Board One Side	218	10%	240	SF	\$ 0.53	\$ 0.98	\$ 1.5	\$ 126	\$ 234	\$ 360	
63				3-5/8" Metal Studs @16" o.c. (14'-0" High)	164	10%	181	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 278	\$ 517	\$ 795	
64				Top Plate	16	10%	17	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 26	\$ 49	\$ 76	
65				Bottom Plate	16	10%	17	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 26	\$ 49	\$ 76	
66				Acoustical Sealant	31	10%	34	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 12	\$ 22	\$ 34	
67				POA.05: (9'-0" H)	9.00		58	LF			\$ -	\$ -	\$ -		
68				5/8" Moisture Resistant Board One Side	518	10%	569	SF	\$ 0.53	\$ 0.98	\$ 1.5	\$ 299	\$ 555	\$ 854	
69				6" Metal Studs @16" o.c. (9'-0" High)	389	10%	428	LF	\$ 2.17	\$ 4.03	\$ 6.2	\$ 929	\$ 1,725	\$ 2,654	
70				Top Plate	58	10%	63	LF	\$ 2.17	\$ 4.03	\$ 6.2	\$ 137	\$ 255	\$ 392	
71				Bottom Plate	58	10%	63	LF	\$ 2.17	\$ 4.03	\$ 6.2	\$ 137	\$ 255	\$ 392	
72				Acoustical Sealant	115	10%	127	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 44	\$ 82	\$ 127	
73				POA.05: (10'-0" H)	10.00		76	LF			\$ -	\$ -	\$ -		
74				5/8" Moisture Resistant Board One Side	762	10%	838	SF	\$ 0.53	\$ 0.98	\$ 1.5	\$ 440	\$ 817	\$ 1,257	
75				6" Metal Studs @16" o.c. (10'-0" High)	573	10%	630	LF	\$ 2.17	\$ 4.03	\$ 6.2	\$ 1,367	\$ 2,539	\$ 3,906	
76				Top Plate	76	10%	84	LF	\$ 2.17	\$ 4.03	\$ 6.2	\$ 182	\$ 338	\$ 520	
77				Bottom Plate	76	10%	84	LF	\$ 2.17	\$ 4.03	\$ 6.2	\$ 182	\$ 338	\$ 520	
78				Acoustical Sealant	152	10%	168	LF	\$ 0.35	\$ 0.65	\$ 1.0	\$ 59	\$ 109	\$ 168	
79				POA.06: (13'-0" H)	13.00		11	LF			\$ -	\$ -	\$ -		
80				2 Layers 5/8" Gypsum Board One Side	286	10%	315	SF	\$ 0.46	\$ 0.85	\$ 1.3	\$ 143	\$ 266	\$ 409	
81				3-5/8" Metal Studs @16" o.c. (13'-0" High)	108	10%	118	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 182	\$ 338	\$ 520	
82				Top Plate	11	10%	12	LF	\$ 1.54	\$ 2.86	\$ 4.4	\$ 19	\$ 35		

98		Acoustical Sealant	22129	10%	24,342	LF	\$	0.35	\$	0.65	\$	1.0	\$	8,520	\$	15,822	\$	24,342
99		POA.1: (10'-0" H)	10.00	Ft	3,897	LF												
100		5/8" Gypsum Board Ea Side	73917	10%	81,308	SF	\$	0.46	\$	0.85	\$	1.3	\$	36,995	\$	68,705	\$	105,701
101		5/8" Moisture Resistant Board Ea Side	1073	10%	1,180	SF	\$	0.53	\$	0.98	\$	1.5	\$	620	\$	1,151	\$	1,770
102		5/8" Backer Board Ea Side	2951	10%	3,246	SF	\$	0.63	\$	1.17	\$	1.8	\$	2,045	\$	3,798	\$	5,842
103		3-5/8" Metal Studs @16" o.c. (10'-0" High)	29301	10%	32,231	LF	\$	1.54	\$	2.86	\$	4.4	\$	49,636	\$	92,180	\$	141,816
104		Top Plate	3897	10%	4,287	LF	\$	1.54	\$	2.86	\$	4.4	\$	6,602	\$	12,260	\$	18,862
105		Bottom Plate	3897	10%	4,287	LF	\$	1.54	\$	2.86	\$	4.4	\$	6,602	\$	12,260	\$	18,862
106		Acoustical Sealant	15588	10%	17,147	LF	\$	0.35	\$	0.65	\$	1.0	\$	6,001	\$	11,145	\$	17,147
107		POA.1: (13'-0" H)	13.00	Ft	1,477	LF												
108		5/8" Gypsum Board Ea Side	34042	10%	37,446	SF	\$	0.46	\$	0.85	\$	1.3	\$	17,038	\$	31,642	\$	48,680
109		5/8" Moisture Resistant Board Ea Side	3643	10%	4,008	SF	\$	0.53	\$	0.98	\$	1.5	\$	2,104	\$	3,908	\$	6,012
110		5/8" Backer Board Ea Side	714	10%	785	SF	\$	0.63	\$	1.17	\$	1.8	\$	495	\$	919	\$	1,414
111		3-5/8" Metal Studs @16" o.c. (13'-0" High)	14436	10%	15,879	LF	\$	1.54	\$	2.86	\$	4.4	\$	24,454	\$	45,415	\$	69,870
112		Top Plate	1477	10%	1,625	LF	\$	1.54	\$	2.86	\$	4.4	\$	2,502	\$	4,646	\$	7,148
113		Bottom Plate	1477	10%	1,625	LF	\$	1.54	\$	2.86	\$	4.4	\$	2,502	\$	4,646	\$	7,148
114		Acoustical Sealant	5908	10%	6,498	LF	\$	0.35	\$	0.65	\$	1.0	\$	2,274	\$	4,224	\$	6,498
115		POA.2: (9'-0" H)	9.00	Ft	1,054	LF												
116		5/8" Gypsum Board EA Side	11664	10%	12,831	SF	\$	0.46	\$	0.85	\$	1.3	\$	5,838	\$	10,842	\$	16,680
117		5/8" Moisture Resistant Board Ea Side	7302	10%	8,032	SF	\$	0.53	\$	0.98	\$	1.5	\$	4,217	\$	7,831	\$	12,048
118		6" Metal Studs @16" o.c. (9'-0" High)	7130	10%	7,843	LF	\$	2.17	\$	4.03	\$	6.2	\$	17,020	\$	31,608	\$	48,628
119		Top Plate	1054	10%	1,159	LF	\$	2.17	\$	4.03	\$	6.2	\$	2,515	\$	4,671	\$	7,186
120		Bottom Plate	1054	10%	1,159	LF	\$	2.17	\$	4.03	\$	6.2	\$	2,515	\$	4,671	\$	7,186
121		Acoustical Sealant	4215	10%	4,636	LF	\$	0.35	\$	0.65	\$	1.0	\$	1,623	\$	3,014	\$	4,636
122		POA.2: (10'-0" H)	10.00	Ft	119	LF												
123		5/8" Gypsum Board EA Side	1681	10%	1,849	SF	\$	0.46	\$	0.85	\$	1.3	\$	841	\$	1,568	\$	2,404
124		5/8" Moisture Resistant Board Ea Side	700	10%	770	SF	\$	0.53	\$	0.98	\$	1.5	\$	404	\$	751	\$	1,155
125		6" Metal Studs @16" o.c. (10'-0" High)	895	10%	985	LF	\$	2.17	\$	4.03	\$	6.2	\$	2,137	\$	3,968	\$	6,105
126		Top Plate	119	10%	131	LF	\$	2.17	\$	4.03	\$	6.2	\$	284	\$	528	\$	812
127		Bottom Plate	119	10%	131	LF	\$	2.17	\$	4.03	\$	6.2	\$	284	\$	528	\$	812
128		Acoustical Sealant	476	10%	524	LF	\$	0.35	\$	0.65	\$	1.0	\$	183	\$	341	\$	524
129		POA.2: (11'-0" H)	11.00	Ft	26	LF												
130		5/8" Gypsum Board EA Side	281	10%	309	SF	\$	0.46	\$	0.85	\$	1.3	\$	140	\$	261	\$	401
131		5/8" Moisture Resistant Board Ea Side	281	10%	309	SF	\$	0.53	\$	0.98	\$	1.5	\$	162	\$	301	\$	463
132		6" Metal Studs @16" o.c. (11'-0" High)	211	10%	232	LF	\$	2.17	\$	4.03	\$	6.2	\$	503	\$	935	\$	1,438
133		Top Plate	26	10%	28	LF	\$	2.17	\$	4.03	\$	6.2	\$	61	\$	113	\$	174
134		Bottom Plate	26	10%	28	LF	\$	2.17	\$	4.03	\$	6.2	\$	61	\$	113	\$	174
135		Acoustical Sealant	102	10%	112	LF	\$	0.35	\$	0.65	\$	1.0	\$	39	\$	73	\$	112
136		POA.2: (13'-0" H)	13.00	Ft	96	LF												
137		5/8" Gypsum Board EA Side	1858	10%	2,044	SF	\$	0.46	\$	0.85	\$	1.3	\$	930	\$	1,727	\$	2,657
138		5/8" Moisture Resistant Board Ea Side	650	10%	715	SF	\$	0.53	\$	0.98	\$	1.5	\$	375	\$	697	\$	1,073
139		6" Metal Studs @16" o.c. (13'-0" High)	943	10%	1,037	LF	\$	2.17	\$	4.03	\$	6.2	\$	2,251	\$	4,180	\$	6,430
140		Top Plate	96	10%	106	LF	\$	2.17	\$	4.03	\$	6.2	\$	230	\$	428	\$	658
141		Bottom Plate	96	10%	106	LF	\$	2.17	\$	4.03	\$	6.2	\$	230	\$	428	\$	658
142		Acoustical Sealant	386	10%	424	LF	\$	0.35	\$	0.65	\$	1.0	\$	149	\$	276	\$	424
143		P1A.1: (10'-0" H)	10.00	Ft	53	LF												
144		5/8" Type X Gypsum Board Ea Side	1060	10%	1,166	SF	\$	0.49	\$	0.91	\$	1.4	\$	571	\$	1,061	\$	1,632
145		5/8" Type X Moisture Resistant Board Ea Side		10%		SF	\$	0.56	\$	1.04	\$	1.6	\$		\$		\$	
146		6" Metal Studs @16" o.c. (10'-0" High)	398	10%	438	LF	\$	2.17	\$	4.03	\$	6.2	\$	951	\$	1,766	\$	2,717
147		Top Plate	53	10%	58	LF	\$	2.17	\$	4.03	\$	6.2	\$	126	\$	235	\$	361
148		Bottom Plate	53	10%	58	LF	\$	2.17	\$	4.03	\$	6.2	\$	126	\$	235	\$	361
149		Acoustical Sealant	212	10%	233	LF	\$	0.35	\$	0.65	\$	1.0	\$	82	\$	152	\$	233
150		P2B2.2: (7'-0" H)	7.00	Ft	128	LF												
151		2 Layers Of 5/8" Gypsum Board One Side	1789	10%	1,967	SF	\$	0.46	\$	0.85	\$	1.3	\$	895	\$	1,662	\$	2,558
152		1" Sheetrock Liner Panels One Side	894	10%	984	SF	\$	0.77	\$	1.43	\$	2.2	\$	757	\$	1,407	\$	2,164
153		2-1/2" Metal Studs @24" o.c. (7'-0" High)	447	10%	492	LF	\$	1.23	\$	2.28	\$	3.5	\$	603	\$	1,119	\$	1,721
154		Top Plate	128	10%	141	LF	\$	1.23	\$	2.28	\$	3.5	\$	172	\$	320	\$	492
155		Bottom Plate	128	10%	141	LF	\$	1.23	\$	2.28	\$	3.5	\$	172	\$	320	\$	492
156		Acoustical Sealant	511	10%	562	LF	\$	0.35	\$	0.65	\$	1.0	\$	197	\$	365	\$	562
157		P2B2.2: (10'-0" H)	10.00	Ft	381	LF												
158		2 Layers Of 5/8" Gypsum Board One Side	7617	10%	8,379	SF	\$	0.46	\$	0.85	\$	1.3	\$	3,812	\$	7,080	\$	10,892
159		1" Sheetrock Liner Panels One Side	3809	10%	4,189	SF	\$	0.77	\$	1.43	\$	2.2	\$	3,226	\$	5,991	\$	9,217
160		2-1/2" Metal Studs @24" o.c. (10'-0" High)	1904	10%	2,095	LF	\$	1.23	\$	2.28	\$	3.5	\$	2,566	\$	4,765	\$	7,331
161		Top Plate	381	10%	419	LF	\$	1.23	\$	2.28	\$	3.5	\$	513	\$	953	\$	1,466
162		Bottom Plate	381	10%	419	LF	\$	1.23	\$	2.28	\$	3.5	\$	513	\$	953	\$	1,466
163		Acoustical Sealant	1523	10%	1,676	LF	\$	0.35	\$	0.65	\$	1.0	\$	587	\$	1,089	\$	1,676
164		P1C.1: (10'-0" H)	10.00	Ft	1,895	LF												
165		5/8" Type X Gypsum Board Ea Side (60 Min)	35125	10%	38,638	SF	\$	0.49	\$	0.91	\$	1.4	\$	18,933	\$	35,160	\$	54,093
166		5/8" TYPE X Moisture Resistant Board	2281	10%	2,509	SF	\$	0.56	\$	1.04	\$	1.6	\$	1,405	\$	2,609	\$	4,014
167		5/8" Type X Backer Board	488	10%	537	SF	\$	0.63	\$	1.17	\$	1.8	\$	338	\$	628	\$	966
168		Sound Attenuation Blanket Insulation	18947	10%	20,842	SF	\$	0.91	\$	1.69	\$	2.6	\$	18,966	\$	35,223	\$	54,189
169		3-5/8" Metal Studs @24" o.c. (10'-0" High)	9474	10%	10,421	LF	\$	1.54	\$	2.86	\$	4.4	\$	16,048	\$	29,804	\$	45,852
170		Top Plate	1895	10%	2,084	LF	\$	1.54	\$	2.86	\$	4.4	\$	3,210	\$	5,961	\$	9,170
171		Bottom Plate	1895	10%	2,084	LF	\$	1.54	\$	2.86	\$	4.4	\$	3,210	\$	5,961	\$	9,170
172		Acoustical Sealant	7579	10%	8,337	LF	\$	0.35	\$	0.65	\$	1.0	\$	2,918	\$	5,419	\$	8,337
173																		

209		Bottom Plate	34	10%	38	LF	\$	1.54	\$	2.86	\$	4.4	\$	58	\$	108	\$	166
210		Acoustical Sealant	69	10%	76	LF	\$	0.35	\$	0.65	\$	1.0	\$	26	\$	49	\$	76
211		P1D.1: (10'-0" H)	10.00	Ft	3,507	LF												
212		5/8" Type X Gypsum Board Ea Side (60 Min)	33629	10%	36,992	SF	\$	0.49	\$	0.91	\$	1.4	\$	18,126	\$	33,663	\$	51,789
213		5/8" Type X Moisture Resistant Board Ea Side (60 Min)	1446	10%	1,590	SF	\$	0.56	\$	1.04	\$	1.6	\$	890	\$	1,654	\$	2,544
214		Sound Attenuation Blanket Insulation	35075	10%	38,582	SF	\$	0.91	\$	1.69	\$	2.6	\$	35,110	\$	65,204	\$	100,314
215		3-5/8" Metal Studs @16" o.c. (10'-0" High)	26372	10%	29,009	LF	\$	1.54	\$	2.86	\$	4.4	\$	44,674	\$	82,967	\$	127,641
216		Top Plate	3507	10%	3,858	LF	\$	1.54	\$	2.86	\$	4.4	\$	5,942	\$	11,035	\$	16,976
217		Bottom Plate	3507	10%	3,858	LF	\$	1.54	\$	2.86	\$	4.4	\$	5,942	\$	11,035	\$	16,976
218		Acoustical Sealant	7015	10%	7,716	LF	\$	0.35	\$	0.65	\$	1.0	\$	2,701	\$	5,016	\$	7,716
219		P1D.1: (13'-0" H)	13.00	Ft	3,787	LF												
220		5/8" Type X Gypsum Board Ea Side (60 Min)	47050	10%	51,755	SF	\$	0.49	\$	0.91	\$	1.4	\$	25,360	\$	47,097	\$	72,458
221		5/8" Type X Moisture Resistant Board Ea Side (60 Min)	157	10%	173	SF	\$	0.56	\$	1.04	\$	1.6	\$	97	\$	180	\$	276
222		5/8" Type X Backer Board Ea Side (60 Min)	2022	10%	2,224	SF	\$	0.63	\$	1.17	\$	1.8	\$	1,401	\$	2,603	\$	4,004
223		Sound Attenuation Blanket Insulation	49230	10%	54,153	SF	\$	0.91	\$	1.69	\$	2.6	\$	49,279	\$	91,518	\$	140,797
224		3-5/8" Metal Studs @16" o.c. (13'-0" High)	37015	10%	40,716	LF	\$	1.54	\$	2.86	\$	4.4	\$	62,703	\$	116,448	\$	179,151
225		Top Plate	3787	10%	4,166	LF	\$	1.54	\$	2.86	\$	4.4	\$	6,415	\$	11,914	\$	18,329
226		Bottom Plate	3787	10%	4,166	LF	\$	1.54	\$	2.86	\$	4.4	\$	6,415	\$	11,914	\$	18,329
227		Acoustical Sealant	7574	10%	8,331	LF	\$	0.35	\$	0.65	\$	1.0	\$	2,916	\$	5,415	\$	8,331
228		P1D.2: (10'-0" H)	10.00	Ft	683	LF												
229		5/8" Type X Gypsum Board Ea Side (60 Min)	4476	10%	4,924	SF	\$	0.49	\$	0.91	\$	1.4	\$	2,413	\$	4,481	\$	6,894
230		5/8" Type X Moisture Resistant Board Ea Side (60 Min)	2353	10%	2,588	SF	\$	0.56	\$	1.04	\$	1.6	\$	1,449	\$	2,692	\$	4,141
231		Sound Attenuation Blanket Insulation	6829	10%	7,512	SF	\$	0.91	\$	1.69	\$	2.6	\$	6,836	\$	12,696	\$	19,532
232		6" Metal Studs @16" o.c. (10'-0" High)	5135	10%	5,648	LF	\$	2.17	\$	4.03	\$	6.2	\$	12,257	\$	22,763	\$	35,019
233		Top Plate	683	10%	751	LF	\$	2.17	\$	4.03	\$	6.2	\$	1,630	\$	3,027	\$	4,658
234		Bottom Plate	683	10%	751	LF	\$	2.17	\$	4.03	\$	6.2	\$	1,630	\$	3,027	\$	4,658
235		Acoustical Sealant	1366	10%	1,502	LF	\$	0.35	\$	0.65	\$	1.0	\$	526	\$	972	\$	1,502
236		P1D.2: (13'-0" H)	13.00	Ft	1,022	LF												
237		5/8" Type X Gypsum Board Ea Side (60 Min)	11942	10%	13,137	SF	\$	0.49	\$	0.91	\$	1.4	\$	6,437	\$	11,954	\$	18,391
238		5/8" Type X Moisture Resistant Board Ea Side (60 Min)	1344	10%	1,478	SF	\$	0.56	\$	1.04	\$	1.6	\$	828	\$	1,537	\$	2,365
239		Sound Attenuation Blanket Insulation	13286	10%	14,615	SF	\$	0.91	\$	1.69	\$	2.6	\$	13,299	\$	24,699	\$	37,998
240		6" Metal Studs @16" o.c. (14'-0" High)	9989	10%	10,988	LF	\$	2.17	\$	4.03	\$	6.2	\$	23,845	\$	44,283	\$	68,128
241		Top Plate	1022	10%	1,124	LF	\$	2.17	\$	4.03	\$	6.2	\$	2,440	\$	4,531	\$	6,970
242		Bottom Plate	1022	10%	1,124	LF	\$	2.17	\$	4.03	\$	6.2	\$	2,440	\$	4,531	\$	6,970
243		Acoustical Sealant	2044	10%	2,248	LF	\$	0.35	\$	0.65	\$	1.0	\$	787	\$	1,461	\$	2,248
244		P1D.2: (14'-0" H)	14.00	Ft	32	LF												
245		5/8" Type X Gypsum Board Ea Side (60 Min)	0	10%	-	SF	\$	0.49	\$	0.91	\$	1.4	\$	-	\$	-	\$	-
246		5/8" Type X Moisture Resistant Board Ea Side (60 Min)	450	10%	495	SF	\$	0.56	\$	1.04	\$	1.6	\$	277	\$	515	\$	792
247		Sound Attenuation Blanket Insulation	450	10%	495	SF	\$	0.91	\$	1.69	\$	2.6	\$	451	\$	837	\$	1,287
248		6" Metal Studs @16" o.c. (14'-0" High)	338	10%	372	LF	\$	2.17	\$	4.03	\$	6.2	\$	808	\$	1,500	\$	2,308
249		Top Plate	32	10%	35	LF	\$	2.17	\$	4.03	\$	6.2	\$	77	\$	143	\$	219
250		Bottom Plate	32	10%	35	LF	\$	2.17	\$	4.03	\$	6.2	\$	77	\$	143	\$	219
251		Acoustical Sealant	64	10%	71	LF	\$	0.35	\$	0.65	\$	1.0	\$	25	\$	46	\$	71
252		P1D.3: (10'-0" H)	10.00	Ft	1,721	LF												
253		5/8" Type X Gypsum Board Ea Side (60 Min)	8701	10%	9,571	SF	\$	0.49	\$	0.91	\$	1.4	\$	4,690	\$	8,710	\$	13,400
254		5/8" Type X Moisture Resistant Board Ea Side (60 Min)	6110	10%	6,721	SF	\$	0.56	\$	1.04	\$	1.6	\$	3,764	\$	6,990	\$	10,754
255		5/8" Type X Backer Board Ea Side (60 Min)	2400	10%	2,640	SF	\$	0.63	\$	1.17	\$	1.8	\$	1,663	\$	3,089	\$	4,752
256		Sound Attenuation Blanket Insulation	17211	10%	18,932	SF	\$	0.91	\$	1.69	\$	2.6	\$	17,228	\$	31,995	\$	49,223
257		6" Metal Studs @16" o.c. (10'-0" High)	12941	10%	14,235	LF	\$	2.17	\$	4.03	\$	6.2	\$	30,889	\$	57,366	\$	88,255
258		Top Plate	1721	10%	1,893	LF	\$	2.17	\$	4.03	\$	6.2	\$	4,108	\$	7,630	\$	11,738
259		Bottom Plate	1721	10%	1,893	LF	\$	2.17	\$	4.03	\$	6.2	\$	4,108	\$	7,630	\$	11,738
260		Acoustical Sealant	3442	10%	3,786	LF	\$	0.35	\$	0.65	\$	1.0	\$	1,325	\$	2,461	\$	3,786
261		P1D.3: (13'-0" H)	13.00	Ft	552	LF												
262		5/8" Type X Gypsum Board Ea Side (60 Min)	5924	10%	6,516	SF	\$	0.49	\$	0.91	\$	1.4	\$	3,193	\$	5,930	\$	9,123
263		5/8" Type X Moisture Resistant Board Ea Side (60 Min)	1253	10%	1,379	SF	\$	0.56	\$	1.04	\$	1.6	\$	772	\$	1,434	\$	2,206
264		Sound Attenuation Blanket Insulation	7177	10%	7,895	SF	\$	0.91	\$	1.69	\$	2.6	\$	7,184	\$	13,342	\$	20,527
265		6" Metal Studs @16" o.c. (13'-0" High)	5396	10%	5,936	LF	\$	2.17	\$	4.03	\$	6.2	\$	12,881	\$	23,922	\$	36,803
266		Top Plate	552	10%	607	LF	\$	2.17	\$	4.03	\$	6.2	\$	1,318	\$	2,447	\$	3,765
267		Bottom Plate	552	10%	607	LF	\$	2.17	\$	4.03	\$	6.2	\$	1,318	\$	2,447	\$	3,765
268		Acoustical Sealant	1104	10%	1,215	LF	\$	0.35	\$	0.65	\$	1.0	\$	425	\$	789	\$	1,215
269		P2D.3: (13'-0" H)	13.00	Ft	909	LF												
270		2 Layers 5/8" Type X Gypsum Board Ea Side (60 Min)	17428	10%	19,171	SF	\$	0.49	\$	0.91	\$	1.4	\$	9,394	\$	17,446	\$	26,839
271		2 Layers 5/8" Type X Moisture Resistant Board Ea Side (60 Min)	4596	10%	5,055	SF	\$	0.56	\$	1.04	\$	1.6	\$	2,831	\$	5,257	\$	8,088
272		2 Layers 5/8" Type X Backer Board Ea Side (60 Min)	1600	10%	1,760	SF	\$	0.65	\$	1.20	\$	1.9	\$	1,140	\$	2,116	\$	3,256
273		Sound Attenuation Blanket Insulation	11812	10%	12,993	SF	\$	0.91	\$	1.69	\$	2.6	\$	11,824	\$	21,958	\$	33,782
274		6" Metal Studs @16" o.c. (13'-0" High)	8881	10%	9,769	LF	\$	2.17	\$	4.03	\$	6.2	\$	21,199	\$	39,370	\$	60,569
275		Top Plate	909	10%	999	LF	\$	2.17	\$	4.03	\$	6.2	\$	2,169	\$	4,028	\$	6,197
276		Bottom Plate	909	10%	999	LF	\$	2.17	\$	4.03	\$	6.2	\$	2,169	\$	4,028	\$	6,197
277		Acoustical Sealant	1817	10%	1,999	LF	\$	0.35	\$	0.65	\$	1.0	\$	700	\$	1,299	\$	1,999
278		Wall Type P0a.02 (9'-10" Ht)	9.83	Ft	79	LF												
279		5/8" Gypsum Board One Side	777	10%	855	SF	\$	0.46	\$	0.85	\$	1.3	\$	389	\$	722	\$	1,111
280		1-5/8" (20 Ga) Metal Studs @16" O.C. (9'-10" High)	584	10%	643	LF	\$	0.84	\$	1.56	\$	2.4	\$	540	\$	1,002	\$	1,542
281		Top Plate	79	10%	87	LF	\$	0.84	\$	1.56	\$	2.4	\$	73	\$	136	\$	209
282		Bottom Plate	79	10%	87	LF	\$	0.84	\$	1.56	\$	2.4	\$	73	\$	136	\$	209
283		Acoustical Sealant	158	10%	174	LF	\$	0.35	\$	0.65	\$	1.0	\$	61	\$	113	\$	174
284		Wall Type P0a.03 (9'-0" Ht)	9.00	Ft	12	LF												
285		5/8" Gypsum Board One Side	111	10%	122	SF	\$	0.46	\$	0.85	\$	1.3	\$	56	\$	103	\$	159
286		2-1/2" (20 Ga) Metal Studs @16" O.C. (9'-0" High)	84	10%	92	LF	\$	1.23	\$	2.28	\$	3.5	\$	113	\$	209	\$	322
287		Top Plate	12	10%	14	LF	\$	1.23	\$	2.28	\$	3.5	\$	17	\$	31	\$	48
288		Bottom Plate	12	10%	14	LF	\$	1.23	\$	2.28	\$	3.5	\$	17	\$	31	\$	48
289		Acoustical Sealant	25	10%	27	LF	\$	0.35	\$	0.65	\$	1.0	\$	10	\$	18	\$	27
290		Wall Type P0a.04 (9'-0" Ht)	9.00	Ft	28	LF												
291		5/8" Gypsum Board One Side	256	10%	281	SF	\$	0.46	\$	0.85	\$	1.3	\$	128	\$	238	\$	366
292		3-5/8" (20 Ga) Metal Studs @16" O.C. (9'-0" High)	192	10%	211	LF	\$	1.54	\$	2.86	\$	4.4	\$	326	\$	605	\$	930
293		Top Plate	28	10%	31	LF	\$	1.54	\$	2.86	\$	4.4	\$	48	\$	89		

428		Bottom Plate	165	10%	182	LF	\$	2.17	\$	4.03	\$	6.2	\$	394	\$	731	\$	1,125
429		Acoustical Sealant	660	10%	726	LF	\$	0.35	\$	0.65	\$	1.0	\$	254	\$	472	\$	726
430		Wall Type P2a.2 (9'-0" Ht) (2 Hr Fire Rated)	9.00	Ft	42	LF												
431		2 Layers 5/8" Type "X" Gypsum Board Ea Side	1512	10%	1,663	SF	\$	0.49	\$	0.91	\$	1.4	\$	815	\$	1,514	\$	2,328
432		6" Metal Studs @16" O.C. (9'-0" High)	284	10%	313	LF	\$	2.17	\$	4.03	\$	6.2	\$	678	\$	1,260	\$	1,938
433		Top Plate	42	10%	46	LF	\$	2.17	\$	4.03	\$	6.2	\$	100	\$	186	\$	286
434		Bottom Plate	42	10%	46	LF	\$	2.17	\$	4.03	\$	6.2	\$	100	\$	186	\$	286
435		Acoustical Sealant	168	10%	185	LF	\$	0.35	\$	0.65	\$	1.0	\$	65	\$	120	\$	185
436		Wall Type P2a.2 (10'-0" Ht) (2 Hr Fire Rated)	10.00	Ft	380	LF												
437		2 Layers 5/8" Type "X" Gypsum Board Ea Side	15200	10%	16,720	SF	\$	0.49	\$	0.91	\$	1.4	\$	8,193	\$	15,215	\$	23,408
438		6" Metal Studs @16" O.C. (10'-0" High)	2857	10%	3,143	LF	\$	2.17	\$	4.03	\$	6.2	\$	6,820	\$	12,666	\$	19,486
439		Top Plate	380	10%	418	LF	\$	2.17	\$	4.03	\$	6.2	\$	907	\$	1,685	\$	2,592
440		Bottom Plate	380	10%	418	LF	\$	2.17	\$	4.03	\$	6.2	\$	907	\$	1,685	\$	2,592
441		Acoustical Sealant	1520	10%	1,672	LF	\$	0.35	\$	0.65	\$	1.0	\$	585	\$	1,087	\$	1,672
442		Wall Type P2b.1 (8'-0" Ht) (2 Hr Fire Rated)	8.00	Ft	35	LF												
443		1" Sheetrock Gypsum Liner Board One Side	280	10%	308	SF	\$	0.77	\$	1.43	\$	2.2	\$	237	\$	440	\$	678
444		2 Layers 5/8" Type "X" Gypsum Board One Side	560	10%	616	SF	\$	0.49	\$	0.91	\$	1.4	\$	302	\$	561	\$	862
445		2 1/2" Metal Studs @24" O.C. (8'-0" High)	140	10%	154	LF	\$	1.23	\$	2.28	\$	3.5	\$	189	\$	350	\$	539
446		Top Plate	35	10%	39	LF	\$	1.23	\$	2.28	\$	3.5	\$	47	\$	88	\$	135
447		Bottom Plate	35	10%	39	LF	\$	1.23	\$	2.28	\$	3.5	\$	47	\$	88	\$	135
448		Acoustical Sealant	140	10%	154	LF	\$	0.35	\$	0.65	\$	1.0	\$	54	\$	100	\$	154
449		Wall Type P2b.1 (9'-0" Ht) (2 Hr Fire Rated)	9.00	Ft	12	LF												
450		1" Sheetrock Gypsum Liner Board One Side	108	10%	119	SF	\$	0.77	\$	1.43	\$	2.2	\$	91	\$	170	\$	261
451		2 Layers 5/8" Type "X" Gypsum Board One Side	216	10%	238	SF	\$	0.49	\$	0.91	\$	1.4	\$	116	\$	216	\$	333
452		2 1/2" Metal Studs @24" O.C. (9'-0" High)	54	10%	59	LF	\$	1.23	\$	2.28	\$	3.5	\$	73	\$	135	\$	208
453		Top Plate	12	10%	13	LF	\$	1.23	\$	2.28	\$	3.5	\$	16	\$	30	\$	46
454		Bottom Plate	12	10%	13	LF	\$	1.23	\$	2.28	\$	3.5	\$	16	\$	30	\$	46
455		Acoustical Sealant	48	10%	53	LF	\$	0.35	\$	0.65	\$	1.0	\$	18	\$	34	\$	53
456		Wall Type P2b.1 (10'-0" Ht) (2 Hr Fire Rated)	10.00	Ft	230	LF												
457		1" Sheetrock Gypsum Liner Board One Side	2300	10%	2,530	SF	\$	0.77	\$	1.43	\$	2.2	\$	1,948	\$	3,618	\$	5,566
458		2 Layers 5/8" Type "X" Gypsum Board One Side	4600	10%	5,060	SF	\$	0.49	\$	0.91	\$	1.4	\$	2,479	\$	4,605	\$	7,084
459		2 1/2" Metal Studs @24" O.C. (10'-0" High)	1150	10%	1,265	LF	\$	1.23	\$	2.28	\$	3.5	\$	1,560	\$	2,878	\$	4,428
460		Top Plate	230	10%	253	LF	\$	1.23	\$	2.28	\$	3.5	\$	310	\$	576	\$	886
461		Bottom Plate	230	10%	253	LF	\$	1.23	\$	2.28	\$	3.5	\$	310	\$	576	\$	886
462		Acoustical Sealant	920	10%	1,012	LF	\$	0.35	\$	0.65	\$	1.0	\$	354	\$	658	\$	1,012
463		Wall Type P2b.1 (10'-6" Ht) (2 Hr Fire Rated)	10.50	Ft	63	LF												
464		1" Sheetrock Gypsum Liner Board One Side	662	10%	728	SF	\$	0.77	\$	1.43	\$	2.2	\$	560	\$	1,041	\$	1,601
465		2 Layers 5/8" Type "X" Gypsum Board One Side	1323	10%	1,455	SF	\$	0.49	\$	0.91	\$	1.4	\$	713	\$	1,324	\$	2,037
466		2 1/2" Metal Studs @24" O.C. (10'-6" High)	331	10%	364	LF	\$	1.23	\$	2.28	\$	3.5	\$	446	\$	828	\$	1,273
467		Top Plate	63	10%	69	LF	\$	1.23	\$	2.28	\$	3.5	\$	85	\$	158	\$	243
468		Bottom Plate	63	10%	69	LF	\$	1.23	\$	2.28	\$	3.5	\$	85	\$	158	\$	243
469		Acoustical Sealant	252	10%	277	LF	\$	0.35	\$	0.65	\$	1.0	\$	97	\$	180	\$	277
470		Wall Type P2b.1 (11'-6" Ht) (2 Hr Fire Rated)	11.50	Ft	11	LF												
471		1" Sheetrock Gypsum Liner Board One Side	127	10%	139	SF	\$	0.77	\$	1.43	\$	2.2	\$	107	\$	199	\$	306
472		2 Layers 5/8" Type "X" Gypsum Board One Side	253	10%	278	SF	\$	0.49	\$	0.91	\$	1.4	\$	136	\$	253	\$	390
473		2 1/2" Metal Studs @24" O.C. (11'-6" High)	63	10%	70	LF	\$	1.23	\$	2.28	\$	3.5	\$	85	\$	158	\$	244
474		Top Plate	11	10%	12	LF	\$	1.23	\$	2.28	\$	3.5	\$	15	\$	28	\$	42
475		Bottom Plate	11	10%	12	LF	\$	1.23	\$	2.28	\$	3.5	\$	15	\$	28	\$	42
476		Acoustical Sealant	44	10%	48	LF	\$	0.35	\$	0.65	\$	1.0	\$	17	\$	31	\$	48
477		Wall Type P2b.2 (8'-6" Ht) (2 Hr Fire Rated)	8.50	Ft	40	LF												
478		1" Sheetrock Gypsum Liner Board One Side	340	10%	374	SF	\$	0.77	\$	1.43	\$	2.2	\$	288	\$	535	\$	823
479		2 Layers 5/8" Type "X" Gypsum Board One Side	680	10%	748	SF	\$	0.49	\$	0.91	\$	1.4	\$	367	\$	681	\$	1,047
480		4" Metal Studs @24" O.C. (8'-6" High)	170	10%	187	LF	\$	1.61	\$	2.99	\$	4.6	\$	301	\$	559	\$	860
481		Top Plate	40	10%	44	LF	\$	1.61	\$	2.99	\$	4.6	\$	71	\$	132	\$	202
482		Bottom Plate	40	10%	44	LF	\$	1.61	\$	2.99	\$	4.6	\$	71	\$	132	\$	202
483		Acoustical Sealant	160	10%	176	LF	\$	0.35	\$	0.65	\$	1.0	\$	62	\$	114	\$	176
484		Wall Type P2b.2 (9'-0" Ht) (2 Hr Fire Rated)	9.00	Ft	27	LF												
485		1" Sheetrock Gypsum Liner Board One Side	243	10%	267	SF	\$	0.77	\$	1.43	\$	2.2	\$	206	\$	382	\$	588
486		2 Layers 5/8" Type "X" Gypsum Board One Side	486	10%	535	SF	\$	0.49	\$	0.91	\$	1.4	\$	262	\$	486	\$	748
487		4" Metal Studs @24" O.C. (9'-0" High)	122	10%	134	LF	\$	1.61	\$	2.99	\$	4.6	\$	215	\$	400	\$	615
488		Top Plate	27	10%	30	LF	\$	1.61	\$	2.99	\$	4.6	\$	48	\$	89	\$	137
489		Bottom Plate	27	10%	30	LF	\$	1.61	\$	2.99	\$	4.6	\$	48	\$	89	\$	137
490		Acoustical Sealant	108	10%	119	LF	\$	0.35	\$	0.65	\$	1.0	\$	42	\$	77	\$	119
491		Wall Type P2b.2 (10'-6" Ht) (2 Hr Fire Rated)	10.50	Ft	270	LF												
492		1" Sheetrock Gypsum Liner Board One Side	2835	10%	3,119	SF	\$	0.77	\$	1.43	\$	2.2	\$	2,401	\$	4,459	\$	6,861
493		2 Layers 5/8" Type "X" Gypsum Board One Side	5670	10%	6,237	SF	\$	0.49	\$	0.91	\$	1.4	\$	3,056	\$	5,676	\$	8,732
494		4" Metal Studs @24" O.C. (10'-6" High)	1418	10%	1,559	LF	\$	1.61	\$	2.99	\$	4.6	\$	2,510	\$	4,662	\$	7,173
495		Top Plate	270	10%	297	LF	\$	1.61	\$	2.99	\$	4.6	\$	478	\$	888	\$	1,366
496		Bottom Plate	270	10%	297	LF	\$	1.61	\$	2.99	\$	4.6	\$	478	\$	888	\$	1,366
497		Acoustical Sealant	1080	10%	1,188	LF	\$	0.35	\$	0.65	\$	1.0	\$	416	\$	772	\$	1,188
498		Wall Type P2b.3 (8'-0" Ht) (2 Hr Fire Rated)	8.00	Ft	34	LF												
499		1" Sheetrock Gypsum Liner Board One Side	272	10%	299	SF	\$	0.77	\$	1.43	\$	2.2	\$	230	\$	428	\$	658
500		2 Layers 5/8" Type "X" Gypsum Board One Side	544	10%	598	SF	\$	0.49	\$	0.91	\$	1.4	\$	293	\$	545	\$	838
501		6" Metal Studs @24" O.C. (8'-0" High)	136	10%	150	LF	\$	2.17	\$	4.03	\$	6.2	\$	325	\$	603	\$	928
502		Top Plate	34	10%	37	LF	\$	2.17	\$	4.03	\$	6.2	\$	81	\$	151	\$	232
503		Bottom Plate	34	10%	37	LF	\$	2.17	\$	4.03	\$	6.2	\$	81	\$	151	\$	232
504		Acoustical Sealant	136	10%	150	LF	\$	0.35	\$	0.65	\$	1.0	\$	52	\$	97	\$	150
505		Wall Type P2b.3 (8'-6" Ht) (2 Hr Fire Rated)	8.50	Ft	8	LF												
506		1" Sheetrock Gypsum Liner Board One Side	68	10%	75	SF	\$	0.77	\$	1.43	\$	2.2	\$	58	\$	107	\$	165
507		2 Layers 5/8" Type "X" Gypsum Board One Side	136	10%	150	SF	\$	0.49	\$	0.91	\$	1.4	\$	73	\$	136	\$	209
508		6" Metal Studs @24" O.C. (8'-6" High)	34	10%	37	LF	\$	2.17	\$	4.03	\$	6.2	\$	81	\$	151	\$	232
509		Top Plate	8	10%	9	LF	\$	2.17	\$	4.03	\$	6.2	\$	19	\$	35	\$	55
510		Bottom Plate	8	10%	9	LF	\$	2.17	\$	4.03	\$	6.2	\$	19	\$	35	\$	55
511		Acoustical Sealant	32	10%	35	LF	\$	0.35	\$	0.65	\$	1.0	\$	12	\$	23	\$	35
512		Wall Type P2b.3 (9'-0" Ht) (2 Hr Fire Rated)	9.00	Ft	12	LF												
513		1" Sheetrock Gypsum Liner Board One Side	108	10%	119	SF	\$	0.77	\$	1.43	\$	2.2	\$	91	\$	170	\$	261
514		2 Layers 5/8" Type "X" Gypsum Board One Side	216	10%	238	SF	\$	0.49	\$	0.91	\$	1.4	\$	116	\$	216	\$	333
515		6" Metal Studs @24" O.C. (9'-0" High)	54	10%	59	LF	\$	2.17	\$	4.03	\$	6.2	\$	129	\$	2		

538		Bottom Plate	34	10%	37	LF	\$	1.54	\$	2.86	\$	4.4	\$	58	\$	107	\$	165	
539		Acoustical Sealant	136	10%	150	LF	\$	0.35	\$	0.65	\$	1.0	\$	52	\$	97	\$	150	
540		Wall Type P2e.1 (8'-0" Ht)	8.00	Ft	47	LF													
541		1" Sheetrock Gypsum Liner Board One Side	376	10%	414	SF	\$	0.77	\$	1.43	\$	2.2	\$	318	\$	591	\$	910	
542		2 1/2" Metal Studs @24" O.C. (8'-0" High)	188	10%	207	LF	\$	1.23	\$	2.28	\$	3.5	\$	253	\$	470	\$	724	
543		Top Plate	47	10%	52	LF	\$	1.23	\$	2.28	\$	3.5	\$	63	\$	118	\$	181	
544		Bottom Plate	47	10%	52	LF	\$	1.23	\$	2.28	\$	3.5	\$	63	\$	118	\$	181	
545		Acoustical Sealant	188	10%	207	LF	\$	0.35	\$	0.65	\$	1.0	\$	72	\$	134	\$	207	
546		Wall Type P2e.1 (9'-0" Ht)	9.00	Ft	60	LF													
547		1" Sheetrock Gypsum Liner Board One Side	540	10%	594	SF	\$	0.77	\$	1.43	\$	2.2	\$	457	\$	849	\$	1,307	
548		2 1/2" Metal Studs @24" O.C. (9'-0" High)	270	10%	297	LF	\$	1.23	\$	2.28	\$	3.5	\$	364	\$	676	\$	1,040	
549		Top Plate	60	10%	66	LF	\$	1.23	\$	2.28	\$	3.5	\$	81	\$	150	\$	231	
550		Bottom Plate	60	10%	66	LF	\$	1.23	\$	2.28	\$	3.5	\$	81	\$	150	\$	231	
551		Acoustical Sealant	240	10%	264	LF	\$	0.35	\$	0.65	\$	1.0	\$	92	\$	172	\$	264	
552		Wall Type P2e.1 (10'-0" Ht)	10.00	Ft	358	LF													
553		1" Sheetrock Gypsum Liner Board One Side	3580	10%	3,938	SF	\$	0.77	\$	1.43	\$	2.2	\$	3,032	\$	5,631	\$	8,664	
554		2 1/2" Metal Studs @24" O.C. (10'-0" High)	1790	10%	1,969	LF	\$	1.23	\$	2.28	\$	3.5	\$	2,412	\$	4,479	\$	6,892	
555		Top Plate	358	10%	394	LF	\$	1.23	\$	2.28	\$	3.5	\$	482	\$	896	\$	1,378	
556		Bottom Plate	358	10%	394	LF	\$	1.23	\$	2.28	\$	3.5	\$	482	\$	896	\$	1,378	
557		Acoustical Sealant	1432	10%	1,575	LF	\$	0.35	\$	0.65	\$	1.0	\$	551	\$	1,024	\$	1,575	
558		Wall Type P2e.1 (10'-6" Ht)	10.50	Ft	109	LF													
559		1" Sheetrock Gypsum Liner Board One Side	1145	10%	1,259	SF	\$	0.77	\$	1.43	\$	2.2	\$	969	\$	1,800	\$	2,770	
560		2 1/2" Metal Studs @24" O.C. (8'-0" High)	572	10%	629	LF	\$	1.23	\$	2.28	\$	3.5	\$	771	\$	1,432	\$	2,203	
561		Top Plate	109	10%	120	LF	\$	1.23	\$	2.28	\$	3.5	\$	147	\$	273	\$	420	
562		Bottom Plate	109	10%	120	LF	\$	1.23	\$	2.28	\$	3.5	\$	147	\$	273	\$	420	
563		Acoustical Sealant	436	10%	480	LF	\$	0.35	\$	0.65	\$	1.0	\$	168	\$	312	\$	480	
564		Wall Type P2e.1 (11'-6" Ht)	11.50	Ft	43	LF													
565		1" Sheetrock Gypsum Liner Board One Side	495	10%	544	SF	\$	0.77	\$	1.43	\$	2.2	\$	419	\$	778	\$	1,197	
566		2 1/2" Metal Studs @24" O.C. (11'-6" High)	247	10%	272	LF	\$	1.23	\$	2.28	\$	3.5	\$	333	\$	619	\$	952	
567		Top Plate	43	10%	47	LF	\$	1.23	\$	2.28	\$	3.5	\$	58	\$	108	\$	166	
568		Bottom Plate	43	10%	47	LF	\$	1.23	\$	2.28	\$	3.5	\$	58	\$	108	\$	166	
569		Acoustical Sealant	172	10%	189	LF	\$	0.35	\$	0.65	\$	1.0	\$	66	\$	123	\$	189	
		CEILING																	
570		5/8" Gypsum Board Ceiling in units	62431	10%	68,674	SF	\$	0.93	\$	1.72	\$	2.7	\$	63,695	\$	118,291	\$	181,986	
571		5/8" Type "X" Gypsum Board Ceiling	4675	10%	5,143	SF	\$	0.98	\$	1.82	\$	2.8	\$	5,040	\$	9,359	\$	14,399	
		PAINT																	
572		P1: One Paint Of Primer With Two Coats Of Paints At Walls Mfr: Sherwin Williams Color: Sw6070 Heron Plume Finish: Eggshell	476631	10%	524,294	SF	\$	0.48	\$	0.89	\$	1.4	\$	250,662	\$	465,516	\$	716,178	
573		P2: One Paint Of Primer With Two Coats Of Paints At Ceiling Mfr: Sherwin Williams Color: Sw6070 Heron Plume Finish: Flat	69865	10%	76,852	SF	\$	0.58	\$	1.08	\$	1.7	\$	44,812	\$	83,222	\$	128,033	
574		P2: One Paint Of Primer With Two Coats Of Paints At Exposed Mfr: Sherwin Williams Color: Sw6070 Heron Plume Finish: Flat	1528	10%	1,681	SF	\$	0.65	\$	1.21	\$	1.9	\$	1,098	\$	2,039	\$	3,136	
575		P5: One Paint Of Primer With Two Coats Of Paints At Walls Mfr: Sherwin Williams Color: Sw9173 shitake Finish: Eggshell	12268	10%	13,495	SF	\$	0.47	\$	0.88	\$	1.4	\$	6,386	\$	11,859	\$	18,245	
576		P6: One Paint Of Primer With Two Coats Of Paints At Walls Mfr: Sherwin Williams Color: Sw7069 Iron Ore Finish: Eggshell	22527	10%	24,780	SF	\$	0.46	\$	0.86	\$	1.3	\$	11,410	\$	21,190	\$	32,601	
577		One Paint Of Primer With Two Coats Of Paints At 3'-0" W X 7'-0" Ht Metal Door W/ Hollow Metal Frame Painted Mfr: Sherwin Williams Color: Sw7069 Iron Ore Finish: Semi Gloss	300	0%	300	EA	\$	29.75	\$	55.25	\$	85.0	\$	8,925	\$	16,575	\$	25,500	
578		One Paint Of Primer With Two Coats Of Paints At 2'-10" W X 6'-8" Ht Holow Wood Door W/ Ph Frame Painted	729	0%	729	EA	\$	29.73	\$	55.21	\$	84.9	\$	21,673	\$	40,250	\$	61,923	
579		One Paint Of Primer With Two Coats Of Paints At 2'-10" W X 6'-8" Ht Holow Wood Door W/ Ph Frame Painted	486	0%	486	EA	\$	29.73	\$	55.21	\$	84.9	\$	14,449	\$	26,833	\$	41,282	
580		One Apint Of Primer With Two Coats Of Paints At 2'-0" W X 6'-8" Ht Holow Wood Door W/ Ph Frame Painted	243	0%	243	EA	\$	21.01	\$	39.02	\$	60.0	\$	5,106	\$	9,482	\$	14,587	
581		One Paint Of Primer With Two Coats Of Paints At 2'-6" W X 6'-8" Ht Holow Wood Door W/ Ph Frame Painted	243	0%	243	EA	\$	26.26	\$	48.77	\$	75.0	\$	6,382	\$	11,852	\$	18,234	
582		One Paint Of Primer With Two Coats Of Paints At (2) 2'-6" W X 6'-8" Ht Holow Wood Door W/ Ph Frame Painted	729	0%	729	EA	\$	40.85	\$	75.87	\$	116.7	\$	29,782	\$	55,310	\$	85,093	
583		One Paint Of Primer With Two Coats Of Paints At (2) 2'-0" W X 6'-8" Ht Holow Wood Door W/ Ph Frame Painted	486	0%	486	EA	\$	32.68	\$	60.70	\$	93.4	\$	15,884	\$	29,499	\$	45,383	
584		One Paint Of Primer With Two Coats Of Paints At (2) 3'-0" W X 6'-8" Ht Holow Wood Door W/ Ph Frame Painted	243	0%	243	EA	\$	49.02	\$	91.05	\$	140.1	\$	11,913	\$	22,124	\$	34,037	
585		One Paint Of Primer With Two Coats Of Paints At 2'-10" W X 7'-0" Ht Holow Wood Door W/ Ph Frame Painted	243	0%	243	EA	\$	31.20	\$	57.94	\$	89.1	\$	7,582	\$	14,080	\$	21,662	
586		One Paint Of Primer With Two Coats Of Paints At 1'-6" W X 6'-8" Ht Holow Wood Door W/ Ph Frame Painted	243	0%	243	EA	\$	20.53	\$	38.13	\$	58.7	\$	4,989	\$	9,265	\$	14,254	
587		One Paint Of Primer With Two Coats Of Paints At Trims and Base Mfr: Sherwin Williams Color: Sw9173 Shiitake Finish: Semi-Gloss	149620	10%	164,582	LF	\$	0.41	\$	0.75	\$	1.2	\$	66,908	\$	124,257	\$	191,164	
588		One Paint Of Primer With Two Coats Of Paints At Stair Railing	1164	10%	1,280	LF	\$	4.20	\$	7.80	\$	12.0	\$	5,378	\$	9,987	\$	15,365	
589		P-7: One Paint Of Primer With Two Coats Of Paints At Elevator Doors (Size: 3'-6" x 6'-8")	87	0%	87	EA	\$	34.53	\$	64.13	\$	98.7	\$	3,004	\$	5,579	\$	8,583	
		Sub Total																\$ 5,153,048	
		SUB - TOTAL											\$	1,803,567	\$	4,205,981	\$	6,009,548	
		OVERHEAD AND PROFIT											15%	\$	270,535	\$	630,897	\$	901,432
		TAX											8.5%	\$	153,303	\$	357,508	\$	510,812
		BID BOND											1.5%	\$	27,054	\$	63,090	\$	90,143
		CONTINGENCIES											5%	\$	90,178	\$	210,299	\$	300,477
		TRADES												\$	2,344,637	\$	5,467,776	\$	7,812,413